

## HONEY PUMP 500 L/H FILTER TRANSFER PUMP



## 500 L/h Honey Filter Transfer Pump for Honey Tomato Paste Honey Pump



The honey convey pump is mainly used to transport honey, toothpaste and other high-viscosity materials. It has low speed, high efficiency, stable operation, strong self-priming ability and convenient operation. The pump adopts advanced sealing, reliable performance and long service life. The motor meets the special working environment safety requirements, is safe and reliable, and is ideal conveying equipment for the honey and high-viscosity materials.

### Product Parameters

|                               |                                |
|-------------------------------|--------------------------------|
| Product Name                  | Honey Pump                     |
| Rated voltage                 | DC12V, AC100-240V; (50-60hz)   |
| Rated power                   | 120W                           |
| Product size                  | 260*260*180 mm                 |
| Flow                          | 500 L/h (flow can be adjusted) |
| Filter level                  | 120 mesh                       |
| Packing size                  | 410*410*260mm, 10kg            |
| Applicable material viscosity | ≤42 Baume degree               |
| Ambient temperature           | above 15°C;                    |

# PRODUCT APPLICATION



## ▶ Honey Filling

Suitable for honey filling of small bee farms, the productivity is 500kg/h.



## ▶ Paste Filling

Toothpaste, daily chemicals and other pastes filling.




## ▶ Sauce Filling

Ketchup, salad dressing, sesame sauce and other high-viscosity materials filling.



## Detailed Photos



## Detailed Photos

